

Confined Space Entry Permit

Permit-Required Confined Space (29 CFR 1910.146) | Valid for one shift only | safetyteamtech.com

Entry Details

Space identification / location	
Purpose of entry	
Date	
Authorized time period (this shift only)	From: _____ To: _____
Authorized entrants (names)	
Attendant (name)	
Entry supervisor (name, signature)	

Hazard Identification & Isolation

Hazards identified	☐ Atmospheric ☐ Engulfment ☐ Entrapment ☐ Other: _____
Isolation methods completed	☐ Lockout/Tagout ☐ Blanking ☐ Disconnection ☐ N/A

Atmospheric Testing (record actual readings, not just “OK”)

Oxygen level (acceptable: 19.5%–23.5%)	
Flammability / LEL reading (acceptable: below 10%)	
Toxic gas reading(s)	
Time of testing / tester's initials	

Rescue, Communication & Equipment

Rescue / emergency service and how to summon	
Communication method (attendant ↔ entrants)	
Required equipment (PPE, monitor, comms, retrieval)	
Additional permits required (e.g. hot work)	

Permit Closeout

Permit canceled / entry complete (time)	
Entry supervisor signature	

This permit is valid for the specific task and shift described above only. Post at the entry point for the duration of the work. If conditions change or work extends beyond the authorized period, cancel this permit and complete a new one before re-entry. Free template provided by Safety Team Technologies (safetyteamtech.com). Not a substitute for your own OSHA 1910.146 program review.